

Astepro[®] Allergy and Children's Astepro Allergy (azelastine) – New partial over-the-counter approval

- On June 17, 2021, the <u>FDA announced</u> the <u>approval</u> of partial over-the-counter (OTC) use of <u>Bayer's Astepro Allergy and Children's Astepro Allergy (azelastine)</u> 0.15%, for the temporary relief of nasal congestion, runny nose, sneezing and itchy nose due to hay fever or other upper respiratory allergies in adults and children 6 years of age and older.
 - Previously, Astepro was available as <u>prescription</u> in 0.15% and 0.1% strengths for the relief
 of the symptoms of seasonal allergic rhinitis in patients 2 years of age and older and
 perennial allergic rhinitis in patients 6 months of age and older.
 - Azelastine 0.1% will remain prescription strength only and is approved for seasonal allergic rhinitis in patients 2 to < 6 years of age and perennial allergic rhinitis in patients 6 months to < 6 years of age.
- Astepro Allergy and Children's Astepro Allergy are the first antihistamines approved for OTC use for indoor and outdoor allergies.
- Astepro Allergy and Children's Astepro Allergy are only for use in the nose. The products should not be sprayed in the eyes or mouth.
- When using Astepro Allergy or Children's Astepro Allergy:
 - Drowsiness may occur: patients should avoid alcoholic drinks; alcohol, sedatives, and tranquilizers may increase drowsiness; patients should be careful when driving a motor vehicle or operating machinery
 - Patients may get a bitter taste in their mouth. To help avoid this, a patient should tilt his head downward while spraying
 - Nasal discomfort or sneezing may occur right after use
 - The bottle should not be shared with anyone else as this may spread germs.
- A patient should stop use and ask a doctor if: an allergic reaction, such as a skin rash, to this
 product occurs, or the patient has severe or frequent nosebleeds.
- The recommended dose of Astepro Allergy or Children's Astepro Allergy is as follows:

Patient age	Dosing frequency
Adults and children 12 years and older	 This product may be used either once or twice a day: Once daily: use 2 sprays in each nostril; OR Twice daily: use 1 or 2 sprays in each nostril every 12 hours Do not use more than 4 sprays in each nostril in a 24 hour period
Children 6 years to 11 years	 An adult should supervise use: 1 spray in each nostril every 12 hours Do not use more than 2 sprays in each nostril in a 24 hour period
Children < 6 years	Do not use

Bayer plans to launch Astepro Allergy and Children's Astepro Allergy in the first quarter of 2022.
 Astepro Allergy and Children's Astepro Allergy will be available as a 0.15% (205.5 mcg/spray) nasal spray.



optumrx.com

OptumRx® specializes in the delivery, clinical management and affordability of prescription medications and consumer health products. We are an Optum® company — a leading provider of integrated health services. Learn more at **optum.com**.

All Optum® trademarks and logos are owned by Optum, Inc. All other brand or product names are trademarks or registered marks of their respective owners.

This document contains information that is considered proprietary to OptumRx and should not be reproduced without the express written consent of OptumRx.

RxNews® is published by the OptumRx Clinical Services Department.

©2021 Optum, Inc. All rights reserved.